

**The geology, genesis and exploration context of the
Cadia gold-copper porphyry deposits,
New South Wales, Australia**

by

Alan J. Wilson (M.Sc.)



UNIVERSITY OF TASMANIA

**Submitted in fulfillment of the requirements for the
degree of Doctor of Philosophy**

November, 2003



Declaration

This thesis contains no material that has been accepted for a degree or diploma by the University or any other institution, except by way of background information and duly acknowledged in the thesis, and to the best of the candidate's knowledge and belief, contains no material previously published or written by another person, except where due acknowledgement is made in the text of the thesis.

Alan J. Wilson

Date:

Confidentiality

This thesis is not to be made available for loan or copying for two years following the date this statement was signed. Following that time, the thesis may be made available for loan and limited copying in accordance with the *Copyright Act* 1968.

Alan J. Wilson

Date:

List of Figures

Chapter 1 Introduction	Page
1.1. Location of the Cadia district, Central Tablelands, New South Wales, Australia.	1
1.2. Aerial photograph showing the location of porphyry and skarn deposits of the Cadia district.	2
1.3. Total gold content versus average gold grade of selected gold-rich alkalic and calc-alkalic porphyry deposits.	3
 Chapter 2 Regional Geology	
2.1. Principal components of the Tasman fold belt.	9
2.2. Principal lithotectonic assemblages of the Lachlan Fold Belt.	11
2.3. Distribution of volcanic and intrusive rocks of the Late Ordovician Macquarie Arc.	13
2.4. Simplified Ordovician geology of the Molong Volcanic Belt.	17
2.5. Location of the principal gold and copper deposits of the Macquarie Arc.	21
2.6. Palaeogeographic setting of the Lachlan Fold Belt during the Late Ordovician.	23
 Chapter 3 Geology of the Cadia District	
3.1. Regional geology of the Cadia district.	26
3.2. Geology of the Cadia district.	27
3.3. Comparative stratigraphy across the Cadia district.	29
3.4. Geological cross sections through each of the Cadia porphyry deposits.	30
3.5. Photograph and photomicrograph of the Weemalla Formation.	31
3.6. Contour plot of poles to bedding of the Weemalla Formation.	32
3.7. Photographs of lithofacies 1, 2 and 3 of the Forest Reefs Volcanics.	35
3.8. Photographs and photomicrographs of lithofacies 4 of the Forest Reefs Volcanics.	38
3.9. Contour plot of poles to bedding of the Forest Reefs Volcanics.	40
3.10. IUGS classification of rocks from the Cadia Intrusive Complex.	43
3.11. Photographs and photomicrographs of the Cadia Intrusive Complex.	45
3.12. Photographs and photomicrographs of the Ridgeway Intrusive Complex	49
3.13. Geology of the 5280RL level in the Ridgeway mine.	50
3.14. IUGS classification of rocks from the Ridgeway Intrusive Complex.	50
3.15. IUGS classification of rocks from the Cadia Far East Intrusive Complex.	54
3.16. Photographs and photomicrographs of the Cadia Far East Intrusive Complex.	55
3.17. Geological model for the development of the Cadia district.	62
3.18. Geological model for the development of the Cadia district, continued	66

Chapter 4 Alteration and Mineralisation	Page
4.1. Geology of the Cadia district, showing the location of cross sections logged as part of this study.	70
4.2. Distribution of alteration and mineralisation in selected calc-alkalic and alkalic porphyry copper-gold deposits.	72
4.3. Geology, alteration and mineralisation of section 11,050mE, Ridgeway.	77
4.4. Geology, alteration and mineralisation of section 22,750mN, Ridgeway.	78
4.5. Geology and grade distribution of the 5280RL level, Ridgeway mine.	80
4.6. Simplified geology of selected drill holes through the Ridgeway Intrusive Complex.	81
4.7. Cross-cutting relationships between intrusions and veins, Ridgeway.	83
4.8. Early-stage alteration and related vein stages, Ridgeway.	87
4.9. Sulphide assemblages in early-stage quartz veins, Ridgeway.	89
4.10. Calc-silicate alteration of the Weemalla Formation beneath Ridgeway.	91
4.11. Transitional-stage alteration and related vein stages, Ridgeway.	93
4.12. Late-stage veins, Ridgeway.	96
4.13. Peripheral alteration stages, Ridgeway.	98
4.14. Peripheral vein stages, Ridgeway.	101
4.15. Gold and copper assays of the 5715RL level through Cadia Quarry and Cadia Hill.	104
4.16. Geology, alteration and mineralisation of section 13,000mE, Cadia Quarry.	105
4.17. Geology, alteration and mineralisation of section 13,10mE, Cadia Quarry.	106
4.18. Geology, alteration and mineralisation of section 14,020mE, Cadia Hill.	107
4.19. Early stage sodic alteration and related vein stages, Cadia Quarry - Cadia Hill	111
4.20. Composition of feldspar phenocrysts from the Cadia Quarry and Cadia Hill quartz monzonite porphyry.	110
4.21. Early stage potassic alteration and related vein stages, Cadia Quarry - Cadia Hill	114
4.22. Transitional stage potassic alteration and related vein stages, Cadia Quarry - Cadia Hill	118
4.23. Reflected light photomicrographs and photographs of sulphides from transitional stage potassic veins, Cadia Quarry - Cadia Hill.	119
4.24. Propylitic alteration and related vein stages, Cadia Quarry - Cadia Hill.	123
4.25. Late, peripheral and post-mineralisation vein stages at Cadia Quarry - Cadia Hill.	127
4.26. Geology, alteration and mineralisation of section 14,920mE, Cadia East.	131
4.27. Geology, alteration and mineralisation of section 15,820mE, Cadia Far East.	132
4.28. Gold : copper ratios of the Cadia East - Far East deposit.	133

	Page
4.29. Photographs and interpretative sketches of Cadia Far East Intrusive Complex intrusions that contain mineralised xenoliths.	134
4.30. Early stage alteration assemblages and related vein stages, Cadia East- Far East.	139
4.31. Transitional stage potassic II alteration and related vein stages, Cadia East - Far East.	143
4.32. Transitional stage potassic II alteration, Cadia East - Far East.	144
4.33. Calc-silicate alteration and mineralisation, Cadia East - Far East.	147
4.34. Inner- and outer-propylitic alteration zones, Cadia East - Far East.	149
4.35. Late stage, potassic IV alteration, Cadia East - Far East.	152
4.36. Sodic II and phyllic alteration, Cadia East - Far East.	154
4.37. Schematic space-time diagram of alteration assemblages and vein stages for porphyry deposits of the Cadia district.	157
 Chapter 5 Geochronology	
5.1. Location and results of all geochronology samples in the Cadia district.	172
5.2. Summary geochronology diagram of the Cadia district.	173
5.3. $^{40}\text{Ar}/^{39}\text{Ar}$ age spectra for hydrothermal sericite, Cadia Hill.	174
5.4. Radiometric age determinations from Ridgeway, section 11,050mE.	178
5.5. Radiometric age determinations from Cadia Quarry, section 13,100mE.	179
5.6. Radiometric age determinations from Cadia Hill, section 14,020mE.	181
5.7. Radiometric age determinations from Cadia East, section 14,600mE.	182
5.8. Radiometric age determinations from Cadia Far East, section 15,820mE.	186
5.9. Geological log of drill hole NC486, Cadia Quarry.	188
5.10. Re (ppm) versus Re-Os age of molybdenite from the Cadia district	192
 Chapter 6 Igneous Geochemistry	
6.1. The K_2O versus SiO_2 classification scheme.	195
6.2. Location of whole rock geochemical samples.	198
6.3. Assessment of the effect of hydrothermal alteration on the whole rock geochemistry of igneous rocks from the Cadia district.	199
6.4. Major- and trace-element discrimination diagrams for rocks of the Forest Reefs Volcanics.	201
6.5. Major-element variation diagrams, Forest Reefs Volcanics.	203
6.6. Trace-element variation diagrams, Forest Reefs Volcanics.	205
6.7. Normalised trace-element diagrams, Forest Reefs Volcanics.	207
6.8. Chondrite-normalised rare earth element profiles, Forest Reefs Volcanics.	207
6.9. Major-element discrimination diagrams for intrusions of the Cadia district.	210
6.10. Major-element variation diagrams for intrusions of the Cadia district.	211
6.11. Trace-element variation diagrams for intrusions of the Cadia district.	213

	Page
6.12. Normalised trace-element plots and rare earth element profiles for intrusions of the Cadia district.	215
6.13. $[\text{Nb/La}]_N$ versus Zr/Nb for intrusive rocks of the Cadia district.	214
6.14. Variation on rare earth element concentration versus SiO_2 concentration and absolute age for intrusive rocks of the Cadia district.	217
6.15. Minor element chemistry of apatite phenocrysts from shoshonitic intrusions of the Cadia district.	223
6.16. Plot of ϵNd versus $^{87}\text{Sr}/^{86}\text{Sr}_i$ for shoshonitic intrusions of the Cadia district.	229
6.17. Plot of ϵNd versus age for igneous rocks of the Cadia district.	229
6.18. Plumbo-tectonics model for Late Ordovician to Carboniferous mineral deposits of the Lachlan Fold Belt.	230
6.19. Variation of $^{206}\text{Pb}/^{204}\text{Pb}$ with respect to total Pb concentration (ppm) for all samples from the Cadia district.	234
6.20. Thorogenic and uranogenic Pb isotope diagrams for whole rocks, orthoclase and sulphides from the Cadia district.	235
 Chapter 7 Hydrothermal Geochemistry	
7.1. Types and occurrences of fluid inclusions in quartz veins of the Cadia district porphyry deposits.	244
7.2. Photomicrographs of type 3A and 3B fluid inclusions.	246
7.3. Results of the microthermometric analyses of fluid inclusions.	250
7.4. Pressure - temperature diagram for the H_2O - NaCl system.	254
7.5. Photomicrographs of silicate melt inclusions in early stage veins, Ridgeway.	257
7.6. Pressure - temperature diagram illustrating the trapping conditions of selected halite-homogenising inclusions with salinities of about 47 weight percent NaCl equivalent.	261
7.7. Idealised $\delta^{34}\text{S}$ compositions of co-existing sulphide and sulphate minerals precipitated from a cooling magmatic fluid.	266
7.8. Cumulative frequency plots of $\delta^{34}\text{S}$ values of sulphides from Cadia district porphyry deposits.	268
7.9. Contoured values of $\delta^{34}\text{S}$ of sulphides from section 14,020mE, Cadia Hill.	269
7.10. Contoured values of $\delta^{34}\text{S}$ of sulphides from section 14,920mE, Cadia East.	269
7.11. Contoured values of $\delta^{34}\text{S}$ of sulphides from section 15,820mE, Cadia Far East.	271
7.12. Contoured values of $\delta^{34}\text{S}$ of sulphides from section 11,050mE, Ridgeway.	273
7.13. Range of $\delta^{34}\text{S}$ compositions of sulphides and sulphates associated with porphyry copper (-gold) deposits.	274
7.14. Measured and modelled $\delta^{34}\text{S}$ composition of sulphides from the Cadia Far East and Ridgeway deposits.	276
7.15. Calculated oxygen and deuterium isotope composition of waters in isotopic equilibrium with phyllic alteration at Cadia.	282

	Page
7.16. Phase diagrams showing the stabilities of selected silicate minerals from the main alteration assemblages at Cadia.	286

Chapter 8 Genetic and Exploration Models

8.1. Interpreted long section of the Cadia district showing radiometric age determinations.	291
8.2. Early stage magmatic and hydrothermal events in the Cadia district.	298
8.3. Transitional stage magmatic and hydrothermal events in the Cadia district.	300
8.4. Late stage magmatic and hydrothermal events in the Cadia district.	304
8.5. Exploration model for gold-copper deposits of the Macquarie Arc.	313

List of Tables

Chapter 1 Introduction	Page
1.1. Reserves and resources of the porphyry and skarn deposits of the Cadia district	2
Chapter 2 Regional Geology	
2.1. Reserves and resources of the principal Late Ordovician to Early Silurian gold-copper deposits of the Macquarie Arc.	22
Chapter 3 Geology of the Cadia District	
3.1. Principal lithofacies of the Forest Reefs Volcanics.	33
3.2. Petrographic characteristics of the intrusive complexes of the Cadia district.	42
Chapter 4 Alteration and Mineralisation	
4.1. Comparison of the geological characteristics of alkalic and calc-alkalic porphyry deposits.	71
4.2. Definition of alteration and mineralisation terminology using in this thesis.	76
4.3. Mineralisation characteristics and gold-copper content of the different phases of the Ridgeway Intrusive Complex.	79
4.4. Styles, and spatial and temporal distribution of alteration assemblages at Ridgeway.	84
4.5. Vein stages of the Ridgeway deposit.	85
4.6. Styles, and spatial and temporal distribution of alteration assemblages at Cadia Hill and Cadia Quarry.	108
4.7. Vein stages of the Cadia Hill and Cadia Quarry deposits.	109
4.8. Styles, and spatial and temporal distribution of alteration assemblages at Cadia East - Far East.	136
4.9. Vein stages of the Cadia East - Far East deposit.	137
4.10. Comparison of the principal features of alkalic gold-copper porphyry deposits.	161
Chapter 5 Geochronology	
5.1. Isotopic age determinations from the Cadia district, conducted prior to this study.	171
5.2. Summary of SHRIMP $^{206}\text{Pb}/^{238}\text{U}$ age determinations from the Cadia district.	176
5.3. Re-Os data for molybdenite from the Cadia district.	184
5.4. Radiometric age determinations from Ridgeway, section 11,050mE.	178
5.5. Radiometric age determinations from Cadia Quarry, section 13,100mE.	179
5.6. Radiometric age determinations from Cadia Hill, section 14,020mE.	181
5.7. Radiometric age determinations from Cadia East, section 14,600mE.	182
5.8. Radiometric age determinations from Cadia Far East, section 15,820mE.	186
5.9. Geological log of drill hole NC486, Cadia Quarry.	188
5.10. Re (ppm) versus Re-Os age of molybdenite from the Cadia district	192

Chapter 6 Igneous Geochemistry	Page
6.1. Neodymium isotope geochemistry of igneous rocks from the Macquarie Arc.	227
6.2. Strontium and neodymium isotope geochemistry of igneous rocks from the Cadia district.	228
6.3. Lead isotope geochemistry of sulphides from porphyry- and porphyry-related mineral deposits in the Cadia district.	231
6.4. Lead isotope geochemistry of igneous rocks, magmatic orthoclase and sulphides from the Cadia district.	232
Chapter 7 Hydrothermal Geochemistry	
7.1. Classification of fluid inclusion types.	243
7.2. Types of quartz veins from which fluid inclusions were analysed.	245
7.3. Results of laser Raman microprobe analyses of selected type 3 fluid inclusions from the Cadia district porphyry deposits.	247
7.4. Summary of the results of fluid inclusion microthermometry.	249
7.5. $\delta^{34}\text{S}$ compositions of sulphides from the Cadia East - Far East deposit.	267
7.6. $\delta^{34}\text{S}$ compositions of sulphides from the Ridgeway deposit.	272
7.7. Results of oxygen and hydrogen isotope analyses.	281
7.8. Reactions used to construct activity diagrams.	284

Table of Contents

Abstract	i
Acknowledgements	v
Table of Contents	vi
List of Figures	xii
List of Tables	xvii

Chapter 1 Introduction

1. 1. Introduction	1
1. 2. Previous work	3
1. 3. Research aims	4
1. 4. Methods employed	5
1. 5. Thesis structure and conventions	6

Chapter 2 Regional Geology

2.1. Introduction	8
2.2. Geologic setting of the Tasmanides and the Lachlan Fold Belt	8
2.2.1. Principal components of the Tasmanides	8
2.2.2. Geologic history and tectonic setting of the Lachlan Fold Belt	10
2.3. Geology of the Macquarie Arc and the Molong Volcanic Belt	15
2.3.1. Introduction	15
2.3.2. Volcanic and intrusive rocks of the Molong Volcanic Belt	16
2.3.3. Structural history of the Molong Volcanic Belt	20
2.3.4. Mineral deposits of the Macquarie Arc	20
2.4. Tectonic setting of the Cadia district and Macquarie Arc	22

Chapter 3 Geology of the Cadia District

3.1 Introduction	25
3.2 District-scale geology	25
3.2.1 Pre-mineral rock units	28
3.2.1.1 Weemalla Formation	28
3.2.1.2 Forest Reefs Volcanics	32
3.2.1.3 Intrusive Rocks	40
3.2.2 Post-mineralisation rock units	56

3.2.2.1 Middle - Late Silurian Shale	56
3.2.2.2 Tertiary Basalts	56
3.2.3 District-scale structural geology	57
3.2.3.1 Werribee – Cadiangullong Fault Zone	57
3.2.3.2 West-northwest to east-west oriented faults	58
3.3 Volcano-tectonic development of the Cadia district	60
3.3.1 Depositional environment and age of the Weemalla Formation	60
3.3.2 Depositional environment and age of the Forest Reefs Volcanics	61
3.3.3 Emplacement of the monzonitic intrusive complexes	64
3.3.4 Post- Early Silurian history of the Cadia district	67
3.4 Summary	67

Chapter 4 Alteration and Mineralisation

4.1. Introduction	69
4.2. Alteration assemblages and zonation in alkalic porphyry deposits	71
4.3. Cadia district porphyry-related alteration and mineralisation	74
4.3.1. Previous work and terminology	74
4.3.2. Ridgeway	76
4.3.2.1. Early stage alteration and veining	82
4.3.2.2. Transitional stage alteration and veining	90
4.3.2.3. Late stage alteration and veining	95
4.3.2.4. Peripheral alteration and veining	97
4.3.3. Cadia Quarry and Cadia Hill	103
4.3.3.1. Early stage alteration and veining	110
4.3.3.2. Transitional stage alteration and veining	116
4.3.3.3. Peripheral and late stage alteration and veining	122
4.3.3.4. Post-mineralisation vein stages	129
4.3.4. Cadia East – Far East	130
4.3.4.1. Early stage alteration and veining	135
4.3.4.2. Transitional stage alteration and veining	141
4.3.4.3. Peripheral and late stage alteration and veining	146
4.3.4.4. Post-mineralisation veins	155
4.4. Discussion	156
4.4.1. Early-stage magmatic / hydrothermal events	156
4.4.2. Transitional-stage magmatic - hydrothermal events	158
4.4.3. Late-stage magmatic / hydrothermal events	159
4.4.4. Comparisons with alkalic porphyry deposits	160

4.5.	Summary	163
------	---------	-----

Chapter 5 Geochronology

5.1.	Introduction	164
5.2.	Cadia district geochronology	164
5.2.1.	Methods used	164
5.2.1.1.	U – Pb (SHRIMP) dating	164
5.2.1.2.	Re – Os dating of molybdenite	165
5.2.2.	Comparison of geochronometers	166
5.2.3.	Previous work	170
5.2.3.1.	Rb-Sr and U-Pb age determinations	170
5.2.3.2.	⁴⁰ Ar/ ³⁹ Ar age determinations	174
5.2.3.3.	¹⁸⁷ Re/ ¹⁸⁷ Os age determinations	175
5.2.4.	This study	175
5.2.4.1.	²⁰⁶ Pb/ ²³⁸ U SHRIMP age determinations	175
5.2.4.2.	¹⁸⁷ Re/ ¹⁸⁷ Os age determinations	183
5.3.	Discussion	186
5.3.1.	Timing of magmatic activity	186
5.3.2.	Timing of porphyry-style mineralisation	190
5.3.3.	Spatial controls on magmatic-hydrothermal activity	193
5.4.	Summary	194

Chapter 6 Igneous Geochemistry

6.1.	Introduction	195
6.2.	Magma series and porphyry copper deposits	195
6.3.	Methodology	196
6.4.	Igneous geochemistry	197
6.4.1.	Hydrothermal alteration effects	197
6.4.2.	Forest Reefs Volcanics	200
6.4.2.1.	Major element geochemistry	200
6.4.2.2.	Trace and rare earth element geochemistry	204
6.4.2.3.	Discussion	206
6.4.3.	Late Ordovician intrusive rocks	208
6.4.3.1.	Major element geochemistry	209
6.4.3.2.	Trace and rare earth element geochemistry	212
6.4.4.	Discussion	218

6.5.	Apatite mineral chemistry	221
6.5.1.	Background	221
6.5.2.	This study	222
6.5.3.	Discussion	224
6.6.	Radiogenic Isotopes	225
6.6.1.	Introduction	225
6.6.2.	Strontium and neodymium isotopes	226
6.6.2.1.	Previous work	226
6.6.2.2.	This study	227
6.6.2.3.	Discussion	228
6.6.3.	Lead isotopes	230
6.6.3.1.	Previous work	230
6.6.3.2.	This study	231
6.6.3.3.	Discussion	233
6.7.	Summary and conclusions	236

Chapter 7 Hydrothermal Geochemistry

7.1.	Introduction	240
7.2.	Fluid Inclusions	240
7.2.1.	Previous work	240
7.2.2.	Methods	241
7.2.3.	Fluid inclusion classification	242
7.2.4.	Laser Raman spectroscopy	247
7.2.5.	Microthermometric analysis	248
7.2.5.1.	Transitional magmatic-hydrothermal veins	248
7.2.5.2.	Early-stage quartz veins	251
7.2.5.3.	Transitional-stage quartz veins	252
7.2.6.	Discussion	253
7.2.6.1.	Origins of halite-homogenising fluid inclusions	253
7.2.6.2.	Fluid evolution	257
7.2.6.3.	Pressure and depth constraints	260
7.3.	Stable Isotopes	264
7.3.1.	Previous work	264
7.3.2.	Sulphur	265
7.3.2.1.	Introduction and methods	265
7.3.2.2.	Results	267
7.3.2.3.	Discussion	272

7.3.3. Oxygen - hydrogen	279
7.3.3.1. Introduction and methods	279
7.3.3.2. Results	280
7.3.3.3. Discussion	281
7.4. Fluid chemistry and fluid evolution	283
7.4.1. Previous work	283
7.4.2. Thermodynamic modelling at Cadia	283
7.4.3. Results	285
7.4.4. Discussion	287
7.5. Summary	288

Chapter 8 Genetic and Exploration Models

8.1. Introduction	290
8.2. District-scale genetic model	290
8.2.1. Timing of igneous activity and sulphide mineralisation	292
8.2.2. Igneous petrogenesis and the tectonic setting of the Cadia district	293
8.2.3. Discussion	294
8.3. Deposit-scale genetic model	296
8.3.1. Early stage magmatic and hydrothermal events	297
8.3.2. Transitional-stage magmatic and hydrothermal events	299
8.3.3. Late-stage hydrothermal events	303
8.3.4. Discussion	305
8.3.4.1. Intrusive centred vs intrusive wall rock deposits	305
8.3.4.2. Fluid sources and fluid evolution	307
8.3.4.3. Peripheral feldspar alteration	310
8.4. Exploration model	312
8.4.1. Hydrothermal alteration zonation	312
8.4.2. Metal and $\delta^{34}\text{S}$ sulphide zonation	314
8.4.3. Structural controls	314
8.4.4. Peripheral deposit types	315
8.5. Future research recommendations	315

References	317
-------------------	-----

Appendices

- A. List of drill holes logged
- B. Electron microprobe analyses (silicates and sulphides)
- C. XRD analysis of “sericite”
- D. PIMA spectra for selected drill holes
- E. U-Pb data from SHRIMP analyses
- F. Results of whole rock geochemistry
 - F1. Data from the current study
 - F2. Data from previous studies
- G. Apatite electron microprobe analyses
- H. Laser Raman spectra
- I. Fluid inclusion microthermometry
- J. Sulphur isotope results

Acknowledgements

First and foremost, I would like to thank my wife, Aveline, for all her support, encouragement and love during this project. By taking care of family and home, whilst also working and studying, you allowed me the indulgence of completing this thesis and I am truly grateful. I'll never be able to repay you, but hopefully a tropical beach or two may help a little! To our children, Rhiana and Oren, thanks for all the understanding when there were no weekends to share.....but the "play days" have finally arrived!

To my principal supervisors, David Cooke and Ross Large, I'd like to extend a hearty and sincere thanks. Dave, you were all a Ph.D. student could hope for in a supervisor and I think this is a sentiment felt by many of your other students. Your understanding and encouragement when I was grappling with many aspects of this project are deeply appreciated. Let's hope the papers we have planned from this thesis materialise in the not too distant future. In particular, I'd like to thank Ross for his help with the radiogenic isotope work in this thesis. Your scepticism regarding the geochronology of the Cadia district made me go that little bit further to work things out and I think the "story" told here has been improved by your input.

Newcrest Mining Limited has been a tremendous supporter of this project, logistically, financially and materially, and I'd like to say thank you for this. The time and knowledge provided by John Holliday, Ian Tedder, Paul Dunham, Stewart Hayward, Mick Pfitzner, Tully Richards and Geoff Smart, among others, has contributed significantly to my understanding of the Cadia district. In particular, John and Ian are to be singled out for endless entertaining discussions on the geology of Cadia, and also for their support of the radiometric age dating study. Thanks also to Shane, Graham, Peter and all of the gang who shifted core for me and saved my back, and to Mark Cannons for drafting during the early stage of this project.

The academic and support staff at CODES and the School of Earth Sciences has provided tremendous support to me during this project and to my family during our stay in Tasmania - thank you all! And to my fellow Ph.D. students, too numerous to single out, I'd like to express my thanks for your interest in this project and for encouraging me to keep going that little bit further to get things done. A special thanks is extended to my office mates, Christian and Meng, for creating a great working environment and for being excellent friends.

This thesis is dedicated to my parents, Jack and the late Jean Wilson, for all of their love and support during my early academic years at Edinburgh University and for encouraging me to pursue a career in geology.